
Serial No: 09/726,571 Group No. 2134 /Conf. No. 1985

Page 1 of 10



FIG. 1







FIG. 2

Serial No: 09/726,571 Group No. 2134 /Conf. No. 1985

Page 3 of 10

FIG. 3




Serial No: 09/726,571 Group No. 2134 /Conf. No. 1985 Page 4 of 10

FIG. 4


0	4	8	16	31	
VERSION	HEADER LENGTH	SORT OF SERVICE	DAT	AGRAM LENGTH	
IDENTIFICATION			FLAG	FRAGMENT OFFSET	
TIME TO LIVE (TTL)		PROTOCOL	HEADER CHECKSUM		
SOURCE ADDRESS					
DESTINATION ADDRESS					
OPTION					
APPLICATION					
				401	

Serial No: 09/726,571 Group No. 2134 /Conf. No. 1985 Page 5 of 10

FIG. 5




Page 6 of 10




Serial No: 09/726,571 Group No. 2134 /Conf. No. 1985 Page 7 of 10

FIG. 7

·	702	703
E.164 ADDRESS	TEI	LINK IDENTIFIER
xxxxxxxxxxxx	XX	DLCI (IN CASE OF FRAME RELAY)
YYYYYYYYYYYY	YY	VPI/VCI (IN CASE OF ATM)








FIG. 10

